

Native WP Shortcodes

One great feature of the plugin is the **UTM variables are saved in client's browser** and even though there is no UTM variables in URL, the variables can still be accessible via shortcode across any page/widget of your website.

UTM Parameters (Last Touch)

```
[utm_campaign] – Prints out utm_campaign variable. [utm_source] – Prints out utm_source variable.  
[utm_term] – Prints out utm_term variable. [utm_medium] – Prints out utm_medium variable.  
[utm_content] – Prints out utm_content variable. [gclid] – Prints out gclid variable. Google Ads click ID  
[fbclid] – Prints out fbclid variable. Facebook Ads click ID [msclkid] – Prints out msclkid variable. Bing Ads click ID
```

UTM Parameters (First Touch)

```
[first_utm_campaign] – Prints out utm_campaign variable for first touch. [first_utm_source] – Prints out utm_source variable for first touch. [first_utm_term] – Prints out utm_term variable for first touch. [first_utm_medium] – Prints out utm_medium variable for first touch. [first_utm_content] – Prints out utm_content variable for first touch.
```

Facebook Ads Related Parameters [Facebook Ads Dynamic Parameters](#) - These values should be added as Custom Parameters in the Plugin

```
[ad_id] - Facebook Ad Id  
[adset_id] - Facebook Ads Id  
[ad_name] - Facebook Ads Name
```

```
[adset_name] - Facebook Adset Name  
[placement] - Facebook Placement  
//you can add many more using custom paramaters.
```

Google Ads Related Parameters [Google Ads ValueTrack Parameters](#) - These values should be added as Custom Parameters in the Plugin

```
[campaignid] - Google Ads ValueTrack Campaign Id[adgroupid] - Google Ads ValueTrack Ads Group Id  
[keyword] - Google Ads ValueTrack Keyword  
[placement] - Google Ads ValueTrack Placement  
//you can add many more using custom paramaters.
```

Other HandL UTM Grabber Parameters

```
[handl_original_ref] - original referral - first touch![handl_landing_page] - landing page - first touch!  
[handl_landing_page_base] - - landing page base domain - first touch![handl_ip] - ip of the user  
[handl_ref] - last touch referral[handl_ref_domain] - last touch referral - domain only  
[handl_url] - last touch url  
[handl_url_base] - base URL only of handl_url  
[organic_source] - organic source href (e.g. https://www.google.com/some/path)  
[organic_source_str] - organic source (Google, Bing, Instagram etc)[gaclientid] - Google Analytics clientid  
[user_agent] - user (browser) agent[traffic_source] - (Last Touch) Paid, Organic, Direct, Referral, Social  
[first_traffic_source] - (First Touch) Paid, Organic, Direct, Referral, Social  
[handlID] - Unique ID generated by HandL UTM Grabber
```

See what is the difference of all the handl_ params here [What is the difference between all the handl params?](#)

You get the gist by now, you can add ANY custom

parameter you defined in the settings

```
[user]  
[email]  
[affid]  
[cid]
```

Other internal COOKIES not meant for tracking, but needed for our plugin to function

```
HandLtestDomainName - to automatically get the domain for tracking (via client side) - you  
can overwrite this using Domain under settings.HandLtestDomainNameServer - to automatically  
get the domain for tracking (via server side) - you can overwrite this using Domain under  
settings.
```

Revision #32

Created Wed, Aug 19, 2020 11:07 PM by [Leman](#)

Updated Fri, Dec 15, 2023 4:59 AM by [Leman](#)