

Capture UTMs using Formstack forms (V4) - Old

This form is only compatible with HandL UTM Grabber V3.

Please add the hidden fields as outlined below. Ensure that the hidden field name (either the field label or placeholder) exactly matches our naming convention detailed here: [Native WP Shortcodes](#).

The screenshot displays the Formstack V4 form builder interface. The form is titled "Sign up for our newsletter!" and includes a supporting text: "Fill out your information below to be signed up for our informative newsletter." The form contains several input fields, including "Name" and "Email". Below these, there are four hidden fields, each with a label and a placeholder, all set to "Hidden" status:

- Hidden field: **utm_campaign** (placeholder: utm_campaign)
- Hidden field: **utm_source** (placeholder: utm_source)
- Hidden field: **utm_medium** (placeholder: utm_medium)
- Hidden field: **organic_source_str** (placeholder: organic_source_str)

The left sidebar shows the "Logic" section with "General" and "Field-Specific" tabs. The "Field-Specific" tab is active, showing options to "Create Custom List" or "Link to Smart List". The "Link to Smart List" option is selected, and a dropdown menu is visible for selecting a smart list to link to. The "Autocomplete Editor" button is also visible. The "FIELD SIZE" section shows "Minimum Characters" and "Maximum Characters" both set to 0.

As of version 3.0.59, you do not need to perform any additional steps, as Formstack V4 is natively supported.

If you are using HandL UTM Grabber 3.0.58 and below. Then proceed with the following step:

Upon activating the UTM Grabber V3 plugin, insert the following code into your custom JavaScript file:

```
setTimeout(function(){
```

```

    handl_utm_all_params.map(function(v){      var element = document.querySelector('.fsForm
[placeholder="'+v+'"]')
    if (element){
        var curVal = Cookies.get(v) ?? "";      var event = new Event('input', {
bubbles: true })
        var previousValue = element.value
        element.value = curVal
        element._valueTracker.setValue(previousValue)
    element.dispatchEvent(event)
    }
    })
}, 500)

```

This code will automatically populate the fields after a lead is submitted.

[<< Back to Submission List](#)
✕

Submission 1 of 3

[🕒 First](#)
[🕒 Previous](#)
[🕒 Next](#)
[🕒 Last](#)

[✎ Edit](#)
[✉ Resend Notification Email](#)
[📄 Export](#)
[🗑 Delete](#)

Sign up for our newsletter!	
Name	Haktan S
Email	haktan@domain.com
utm_campaign	SpringSale
utm_source	facebook
utm_medium	cpc
organic_source_str	https://www.formstack.com/
traffic_source	Paid
handl_landing_page	https://handl-sandbox/favicon.ico

1 field was not displayed

Revision #6

Created Wed, Apr 17, 2024 10:19 PM by [Leman](#)

Updated Thu, May 9, 2024 1:55 AM by [Leman](#)