

# Hubspot Integration

HandL UTM Grabber/Tracker HubSpot Integration set up

- [Track UTMs in Hubspot Form](#)

# Track UTMs in Hubspot Form

## Add UTM fields to your form

This is assuming you already created Contact properties (ideally under Web Analytics) and make sure you name them after HandL UTM Grabber properties (such as `utm_campaign`, `utm_source`, `gclid`, `fbclid` etc). See the full list here [Native WP Shortcodes](#)

Make sure the fields are hidden

The screenshot displays the HubSpot Form Editor interface. At the top, there's a dark header with a 'Back to all forms' link, a 'Demo' tab, and a status indicator 'Auto-saved with unpublished changes' along with an 'Update' button. Below the header, a navigation bar includes 'Form', 'Follow-up', 'Options', and 'Style & preview' tabs, with 'Form' being the active tab. On the left, a sidebar shows the 'Edit utm\_campaign' configuration. It includes a 'Contact property name' field set to 'utm\_campaign', a 'Field Type' dropdown set to 'Single-line text', and two tabs: 'Basic' (selected) and 'Logic'. Under the 'Basic' tab, there are checkboxes for 'Make this field required' (unchecked) and 'Make this field hidden' (checked). Below these are fields for 'Label' (containing 'UTM Campaign') and 'Help Text'. At the bottom of the sidebar are fields for 'Placeholder text' and 'Default value'. The main area on the right shows a preview of the form. It contains three input fields: 'First Name \*' (labeled 'firstname' and 'Contact Property'), 'Last Name \*' (labeled 'lastname' and 'Contact Property'), and 'Email \*' (labeled 'email' and 'Contact Property'). Below these is a 'UTM Campaign' field (labeled 'utm\_campaign', 'Contact Property', and 'Hidden Field'). A red 'Submit' button is positioned at the bottom of the form preview.

## Copy paste the form embed code

Clicking the share button will generate the embed code looks like this



## Share your form

Embed code

Share link

To embed this form, simply copy and paste the code below into the HTML code on your website. [Learn more](#)

```
<!--[if lte IE 8]>
<script charset="utf-8" type="text/javascript"
src="//js.hsforms.net/forms/v2-legacy.js">
</script>
<![endif]-->
<script charset="utf-8" type="text/javascript"
src="//js.hsforms.net/forms/v2.js"></script>
```

Copy

Add the following modifications Simply add the `onFormReady` event as is

```
<!--[if lte IE 8]><script charset="utf-8" type="text/javascript"
src="//js.hsforms.net/forms/v2-legacy.js"></script>
<![endif]--><script charset="utf-8" type="text/javascript"
src="//js.hsforms.net/forms/v2.js"></script>
<script>
  hbspt.forms.create({
    region: "na1",
    portalId: "{portal_id}",
    formId: "{form_id}",
    onFormReady: function(f){
```

```


f.serializeArray().map(x=>{
  let cookie_val = Cookies.get(x.name)
  if (cookie_val && cookie_val != ''){
    f.find('input[name="'+x.name+'"]').val(cookie_val).change();
  }
})
});
</script>

```

That's it! Your form will track the parameters and you'll get all the tracked parameters under submissions in Hubspot (in contact property for the contact)

[< Back](#)

## Manage properties



Demo Demo  
 demo@utmgrabber.com

### About

These properties will appear when you view information about a contact. These changes will only affect you.

You may set the default properties all users will see in settings. [Set default properties](#)

Reset to account defaults

Email

Phone number

Contact owner

## All properties

☐ Hide blank properties

Web analytics history 5 of 36 properties
 

utm\_campaign

campaign

utm\_content

utm\_medium

utm\_source

utm\_term